

Newport138 series RAISED PANEL

Newport 138 Insulated Steel Garage Doors

The Newport 138 offers homeowners, as well as home builders, the classic look of raised panel doors with the strength and practicality of pre-finished steel. This is a premium, highly energy efficient door featuring a calculated insulation value of R-12.

- Sandwich-type construction with 1-3/8" polyurethane insulation, pressure bonded between two skins of 26 gauge (.017) G60 steel
- Steel is rust-proofed with hot-dipped galvanizing, pre-painted on both sides with a primer, and finished with a top coat of baked on polyester for an exterior paint thickness of 1.0 mil
- Three layer construction provides a calculated insulation value of R-12, along with exceptional strength and a substantial, solid feel during operation
- · Finely detailed raised panels with a deep woodgrain texture
- · Panel options include Short Raised Panel, Long Raised Panel, and Flush Panel
- Tongue and Groove section joint with bulb seal
- Thermal break between steel skins
- 9 factory finish colors to choose from

Sizes Standard widths: 8', 9', 10', 12', 16' and 18' Special order widths are available in 1" increments


Standard heights: 6'6", 7', 7'6", and 8' 7'6" & 8' tall doors are

7'6" & 8' tall doors are available as either 4 or 5 sections high

Number of Panels Across

Width	Short Panel/Long Panel			
8' & 9' wide	4	2		
10' wide	5	2		
12' wide	6	3		
16' & 18' wide	8	4		

Panel Options



Personalize the look of your Newport door by adding a custom window design

Window Options/snap-in Inserts

Glazing options include single or double glazed in clear, obscure, or frosted glass.



Short Panel Clear



397 Colonial SP



320 Waterton SP



897 Prairie SP



305 Sunburst SP



591 Cascade SP - 4 Lite



393 Cathedral SP



306 Sherwood SP





798 Colonial LP - 10 Lite



320 Waterton LP



897 Prairie LP



305 Sunburst LP



591 Cascade LP



587 Wyndbridge LP



588 Wyndbridge Arch LP



488 Somerton LP - 10 Lite





405 Single Sunburst LP



405 Single Sunburst SP



588 & 587 Breckenridge LP



488 & 798 Berkshire LP



Window inserts are easily removed for complete cleaning of window glass

Color Options





















White

Almond

Brown

Sandtone

Desert Tan

Gray

Black

Bronze


Cafe

Section joint detail

Modified tongue and groove joint-

Placed closer to the exterior of the door to limit air and water infiltration

Bulb seal-prevents air leaks



Thermal break-prevents heat transfer

Continuous polyurethane insulated core of high density foam resulting in a R-Value of 12

Continuous full width horizontal steel reinforcing strip for hinge attachment

Standard features of the Newport Series includes our tough, anti-corrosion protection - inside and out. Hardware includes heavy-duty track with a unique elliptical curve that reduces the force necessary to roll the door along the track, making opening and closing easier and smoother. Full leaf, heavy gauge hinges, and nylon rollers with steel bearings offer superior strength and years of trouble-free operation.



High-strength, rust-resistant, pre-painted galvanized steel sheets-

Available in a variety of colors to match the beauty of your home

Galvanized steel endcaps-

Heavy duty for additional strength

Deep woodgrain embossing-

The durability of steel without the maintenance hassle of wood

Flexible 3" vinyl bottom seal-

With a rust-resistant aluminum retainer



Lifetime limited warranty against rust-through and/or delamination of door face. See dealer for complete warranty information.

Green Building Benefits Energy savings from insulation value, local manufacturing, recycled content, and product longevity.





Your	Local	Authorized	General	Doors	Distributo	r

© 2019, General Doors Corporation

Printed in U.S.A.



1 Monroe Street PO Box 205 Bristol, PA 19007-0205 215.788.9277 Fax: 215.788.9450 general-doors.com sales@general-doors.com